The Bryologist 105(1), pp. 167–176
Copyright © 2002 by the American Bryological and Lichenological Society, Inc.

Revised Index to Volume 104 of THE BRYOLOGIST

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591.

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590

Due to a series of errors, the annual index published in volume 104(4) was incomplete. The complete index is printed below, with our apologies for any inconvenience or confusion.

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

1-octen-3-yl acetate, 352*
2-methoxy-1-*O*-methyl-6-prenylhydroquinone, 352*
2-methoxy-4-*O*-methyl-6-prenylhydroquinone, 352*
2-methoxy-6-prenyl-1,4-benzoquinone, 352*
2-methoxy-6-prenylhydroquinone, 352*
2′-O-demethylpsoromic acid (Lecanora), 394
2′-*O*-demethylpsoromic acid (Lethariella), 348
2′-O-methylphysodic acid (Hypogymnia), 146
3,7-dimethyl-2,6-octadien-1,6-olide, 352*
3-α-hydroxybarbatic acid (Thamnolia), 348
3-hydroxy-4′-methoxybibenzyl, 352*
3-hydroxyphysodic acid (Hypogymnia), 146+
4,5-dichloronorlichexanthone (Lecanora), 392+
4-chloronorlichexanthone (Lecanora), 392+
4-dechlorogangaleoidin (Lecanora), 209
4-hydroxy-3′-methoxybibenzyl, 358
7-chloroemodin (Caloplaca), 8
8-*p*-cymenol, 352*
Abies (Usnea fragilescens group), 242
Acarospora schleicheri, 220
Accessory physodalic acid (Cladonia), 571
Accumulation rate (bryophytes), 183+
Accumulation rates (epiphytic bryophytes), 430+
Acer circinatum (epiphytes), 274+
Agrophyron spicatum, 223
AHTI, TEUVO. Cladoniaceae. Flora Neotropica Monograph 78 [review], 498
Air pollution (lichens), 266
Alaska (lichens), 47+
Alberta, Canada (microfungi), 548+
ALLEN, BRUCE, WILLIAM R. BUCK, RONALD A. PURSELL, and BARBARA M. THIERS. Recent Literature on Bryophytes—104(1), 170+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 310+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 615+
ALLEN, BRUCE. *See* PURSELL, RONALD A., 487+
Aloina bifrons, 104+*
α-terpinene, 352*
ALSTRUP, VAGN. *See* FAHSELT, DIANNE, 24+
ALSTRUP, VAGN. *See* FAHSELT, DIANNE, 593+
Amandinea punctata, 220
Amber (Scapania), 362+
Amblystegiaceae, 72+; 199+
Amblystegium serpens, 199+
America, tropical (Plagiochila), 350+
Anaptychia ciliaris, 528+
ANOVA (mosses), 62+
Antitrichia curtipendula, 183+, 275+, 430+
ANTON, HERMANN. *See* HEINRICHS, JOCHEN, 350+
Apospory (mosses), 40+
Aquatic moss (Fissidens), 378+
Aquatic mossballs (Blindia inundata), 502+*
Arachniopsis succulenta, *151*
Archilejeunea auberiana, 610
Artemisia tridentata, 223
Arthonia glebosa, 215+; stereocaulina, 24+*
Arthothelin (Lecanora), 392+
Ascaridole, 352*
Ascomycetes (Gyalideopsis), 130+
Ascospores (Rhinodina), 456+*
Asexual reproduction (Calymperaceae), 299+
Aspicilia filiformis, 220; hispida, 215; moenium, 204+*; reptans, 216; spp., 220
Atlanticol, 358
Atranorin (Hypogymnia), 146+
Atranorin (Lecanora), 204+; 382
Atranorin (Lethariella), 347
Atranorin (UV irradiance), 134+
Austral Hepaticae 33, 151+
Austral regions (lichen collections), 464+m
Australia (Cladoniaceae), 560+
Australia (Dicranoloma), 440+
Awards for 2000, 647

Baeomycesic acid (Chaenotheca), 193
Baeomycesic acid (Thamnolia), 348
Baltic amber (Scapanites), 365
Barbatic acid (Chaenotheca), 193
Barbatic acid (Thamnolia), 348
Barbatic acid (Usnea fragilescens group), 242+
Barbilophozia lycopodioides, 509
Barbula brachyphylla, *373*; byrdii, *374*; defossa, *373*; ferrinervis, *373*; indica var. indica, *373*; olivacea, *374*; tectorum, *373*
Basal pleurocarps, 72+
BAYLEY, SUZANNE E. *See* THORMANN, MARKUS N., 548+
Bazzania trilobata, 421+
BEDNAREK-OCHYRA, HALINA, JIRÍ VÁNA, RYSZARD OCHYRA, and RONALD I. LEWIS SMITH. The Liverwort Flora of Antarctica [review], 646
BEGORA, MICHAEL D. and DIANNE FAHSELT. Usnic Acid and Atranorin Concentrations in Lichens in Relation to Bands of UV Irradiance, 134+
BELL, PETER R. and ALAN R. HEMSLEY. Green Plants: Their Origin and Diversity, 2nd ed. [review], 341
Bescherelle, Émile, 367
β-carotene (Umbilicaria), 595+

0007-2745/02/165–174$1.55/0

β-phellandrene, 352*
β-pinene, 352*
Biatora symmicta, *405*
Bicyclogermacrene, 352*
Biomass accumulation (epiphytic bryophytes), 437+
Biosynthetic sequences (lichen substances), 232
Biotic soil crusts, 212+
Bitterfeld amber (Scapania), 362+
Black Crust, 217
Blindia inundata, 502+*
Blocked multi-response permutation procedure, 214
Bog (microfungi), 548+
Bogs (climate change), 411+
Bourgeanic acid (Usnea fragilescens group), 242+
Brachysteleum brevifolium, *522*; commutatum, *522*; microblastum, *522*; uruguense, *522*
Brachytheciaceae, 72+, 199+
Brachythecium albicans, 220
BRASSARD, GUY R. [Review of:] MUÑOZ, JESÚS and FRANCISCO PANDO. A World Synopsis of the Genus Grimmia. Monographs in Systematic Botany from the Missouri Botanical Garden 83, 497
BREUSS, OTHMAR. Helocarpon lesdainii (Lichens, Helocarpaceae) in the Pacific Northwest, 600+
BREUSS, OTHMAR and TOBY SPRIBILLE. Verrucaria kootenaica, a New Pyrocarpous Lichen from the Northern Rocky Mountains, 453+
British Columbia (lichens, mosses), 505+
British Mosses and Liverworts (Watson), 471
BRODO, IRWIN M. Vezdaea acicularis, An Addition to the North American Lichen Flora, 297+
BRUGGEMAN-NANNENGA, MARIA A. *See* ROS, ROSA M., 468+
BRYAN, VIRGINIA S. Apospory in Mosses Discovered by Nathanael Pringsheim in a Brilliant Epoch of Botany, 40+
Brychysteleum howeanum, *522*
Bryoerythrophyllum byrdii, *375*; recurvirostrum, 376
Bryophyte harvesting, 517+
Bryophytes (forest management practices), 421+
Bryophytes, harvestable epiphytic, 181+
Bryopteris filicina, 610
Bryum argenteum, 215; caespiticium, 220; procerum, 519; pseudotriquetrum, 59+; spp., 217
BUCK, WILLIAM R. [Review of:] FANG, YAN-MING and TIMO KOPONEN. A revision of Thuidium, Haplocladium, and Claopodium (Musci, Thuidiaceae) in China. Bryobrothera 6, 501
BUCK, WILLIAM R., RONALD A. PURSELL, BARBARA M. THIERS, and BRUCE ALLEN. Recent Literature on Bryophytes—104(2), 310+
BUCK, WILLIAM R., RONALD A. PURSELL, BARBARA M. THIERS, and BRUCE ALLEN. Recent Literature on Bryophytes—104(4), 615+
BUCK, WILLIAM R. *See* ALLEN, BRUCE, 170+
BUCK, WILLIAM R. *See* PURSELL, RONALD A., 487+
Buellia geophila, 220; staminea, 530+
Bunchgrass cover (Oregon shrub steppe), 223

C test (lichens), 263+
Cacao (Spruceanthus theobromae), 607+
Calcareous index, 214
Calcium hypochlorite, 263+
Calicium, 191; glaucellum, 195; salicinum, 193+
California (Cladonia), 226
California (Orthotricum), 268+
Callicostaceae, 72+
Calliergonella cuspidata, 200+
Caloplaca bryochrysion, 9; cerina, 216; chrysodeta, 1+*m; citrina, 1+*m; citrina f. erosa, *4*; citrina group, 1+; citrina group (erratum), 613; citrina var. maritima, *9*; citrina var. soropelta, *9*; discolor, *8*; epiphyta, *8*; flavocitrina, *4*; jungermanniae, 220; laracina, *8*; maritima, 9; phlogina, *4*; soropelta, 9; spp., 220; tominii, 1+*m, 216; xantholyta, 5+*; xanthostigmoidea, 1+*m
Calymperaceae (substrate preference), 582+
Calymperaceae, 282+
Calymperes (substrate preferences, 28 taxa), 582+
Calymperes, 282+; aeruginosum, 285+; afzelii, 286+ beccarii, 284+; boulayi, 286; couguiense, 286+; crassinerve, 284+*; erosum, 286+; fasciculatum, 285+; graeffeanum, 286; guildingii, 286, 301; levyanum var. hainanense, 285+; levyanum var. levyanum, 285+; lonchophyllum, 285, 300+; mitrafugax, 286; motleyi, 286; othmeri, 284+*; palisotii, 287; palisotii subsp. moluccense, 284+; palisotii subsp. palisotii, 286+; pallidum, 286+, 301+; porrectum, 286; robinsonii, 287+; rubiginosum, 604; serratum, 285+, 301; smithii, 284+*; strictifolium, 286; subintegrum, 286; subserratum, 285, 301; subulatum, 285, 301; taitense, 286; tenerum, 286+; venezuelanum, 284+*
Campylium chrysophyllum, 200+
Canarione (Lethariella), 347
Canary Islands (Fissidens sublimatus), 468+m
Canary Islands (lichen collections), 464+
Candelariella terrigena, 216
CANO, MARÍA J. *See* ROS, ROSA M., 468+
CAO, TONG and SHUILIAN GUO. Ptychomitrium yulongshanum, n.sp. from China, 303+*
CAO, TONG, SHUILIANG GUO, and YUANMING ZHANG. Distribution of Ptychomitrium muelleri (Bryopsida), with its Synonyms, 522+
CAO, TONG. *See* GAO, CHIEN, 126+
Caperatic acid (Usnea fragilescens group), 249+
Caribbean (lichen collections), 464+
Cascade Mountains (Acer circinatum), 274+
Catapyrenium spp., 220; squamulosum, 220
Cation exchange capacity (mosses), 60+
Cemeteries (Pseudoscleropodium), 98+
Central America (Caloplaca), 1+
Cephaloziella divaricata, 220
Ceratodon purpureus, 215
Ceratolejeunea cubensis, 610
Cetraria chlorophylla, 275; cucullata, 509; ericetorium, 509; nivalis, 509
Chaenotheca (subgenera), 192+
Chaenotheca, 191+; brachypoda, 193+; brunneola, 193+; cf stemonea, 193+; chlorella, 193+; chrysocephala, 193+; cinerea, 193+; ferruginea, 193+; furfuracea, 193+; gracillima, 193+; hispidula, 193+; hygrophila, 193+; laevigata, 193+; phaeocephala, 192+; sphaerocephala, 193+; subroscida, 192+; trichialis, 191+
Character states (pleurocarpous mosses), 72+
Checklist (Lichens from St. Matthew and St. Paul Islands, Bering Sea, Alaska), 52+
Cheilolejeunea rigidula, 610
Chemical structures (lichen products), 231+
Chemistry (biotic soil crusts), 212+
Chemotaxonomy (lichens), 263+
CHEUNG, PUI YI and KWOK LEUNG YIP. [Review of:] KAZDA, JINDRICH. The Ecology of Mycobacteria, 497
Chile (Blindia inundata), 502+
Chile (Rigodium), 639+
Chiloscyphus muricellus, *126*
China [Taiwan] (Saccogynidium), 126+
Chlorella ellipsoidea, 530+
Chloroatranorin (Lecanora), 209
Chlorophyll *a* (Umbilicaria), 595+
Chlorophyll *b* (Umbilicaria), 595+
Cladina mitis, 134+, 509; rangiferina, 134+, 509; stellaris, 509

Cladonia acervata sp. nov., 563+*; artuata, 227; **attacta sp. nov.,** 564+*m; bellidiflora, 509; borealis, 509; carneola, 509; cenotea, 509; cervicornis, 227, 510; chlorophaea, 510; **complanata sp. nov.,** 566+*m; cornuta, 510; crispata, 510; **cucullata sp. nov.,** 568+*m; deformis, 510; ecmocyna, 510; fimbriata, 510; furcata, 519; **glebosa sp. nov.,** 570+*m; gracilis, 510; **imbricata sp. nov.,** 571+*m; **lacryma sp. nov.,** 226+*; multiformis, 510; **nudicaulis sp. nov.,** 573+*m; phyllophora, 226; phyllorophora, 510; pleurota, 510; prolifica, 228; pyxidata, 510; ramulosa, 228; sp., 184; spp., 215; stellaris, 509; sulphurina, 510; uncialis, 134+, 510
Cladoniaceae (Australia), 560+
Claopodium crispifolium, 184
CLAYDEN, STEPHEN R. [Review of:] DIEDERICH, PAUL and EMMANUËL SÉRUSIAUX. The Lichens and Lichenicolous Fungi of Belgium and Luxembourg, 642+
CLAYDEN, STEPHEN R. [Review of:] SCHOLZ, PETER. Katalog der Flechten und flechtenbewohnenden Pilze Deutschlands, 642+
CLAYDEN, STEPHEN R. [Review of:] TÜRK, ROMAN, JOHANNA ÜBLAGGER and ROBERTO ZORER, eds. Third International Lichenological Symposium (IAL 3): Poster Contributions. Sauteria 3: 1-405, 342
Clearcut (epiphytic bryophytes), 430+
Clear-cut stands (Bazzania trilobata), 421+
CLEAVITT, NATALIE. Disentangling Moss Species Limitations: The Role of Physiologically Based Substrate Specificity for Six Species Occurring on Substrates with Varying pH and Percent Organic Matter, 59+
Climate (biotic soil crusts), 212+
Climate change (bryophytes), 410+
Climate models, 414+
Closed canopy forest (Bazzania trilobata), 421+
CMA (Usnea fragilescens aggregate), 236+
COLE, W. JOHN. *See* HEINRICHS, JOCHEN, 350+
Collema spp., 217; tenax group, 220
COLLINS, ALISON L. *See* MCLETCHIE, D. NICHOLAS, 543+
Color (Bazzania trilobata), 421+
Common, R. S., 464+
COMMON RALPH S. *See* FRYDAY, ALAN M., 109+
Community composition (soil crusts), 212+
Coniocybe, 191
Connorstictic acid (Lethariella), 347
Consalazinic acid (Ramalina), 347
Consalazinic acid (Usnea fragilescens group), 249+
Conservation (Spruceanthus theobromae), 607+
Constictic acid (Lobaria), 346
Constictic acid (Usnea fragilescens group), 249+
Corticolous Lecanora spp., 382+
Cover (mean percent), 511
COXSON, DARWYN S. *See* SULYMA, RANDY, 505+
cpDNA (Hypnobartlettia), 199+
CRANDALL-STOTLER, BARBARA. In Memoriam: Raymond H. Hollensen (November 5, 1931 - October 25, 1997), 154+
Cratoneuron filicinum, 200+
Cratoneuropsis relaxa, 200+
CROSBY, MARSHALL. Vade Mecum Bryologiae I. Contributions of the Hedwigian Society 2 [review], 342
Crossomitrium patrisiae, 610
Cryptostictic acid (Lobaria), 346
Cryptostictic acid (Usnea fragilescens group), 249+
Ctenidiaceae, 72+
CULBERSON, CHICITA F. and WILLIAM LOUIS CULBERSON. Future Directions in Lichen Chemistry, 230+
CULBERSON, CHICITA F. *See* WANG, LI-SONG, 345+
CULBERSON, WILLIAM LOUIS. [Review of:] Ahti, Teuvo. Cladoniaceae. Flora Neotropica Monograph 78, 498
CULBERSON, WILLIAM LOUIS. *See* WANG, LI-SONG, 345+
Culture experiments (lichens), 576+
CURRAH, RANDOLPH S. *See* THORMANN, MARKUS N., 548+
Cyathodium bischlerianum sp. nov., 141+*m
Cyphelium, 191
Cyrto–hypnum involvens, 610

DAHLKILD, ÅSA, MARI KÄLLERSJÖ, KATILEENA LOHTANDER, and ANDERS TEHLER. Photobiont Diversity in the Physciaceae (Lecanorales), 527+
DAMBE alignment (Chaenotheca), 192
DAVISON, PAUL G. [Review of:] SCHUMACKER, RENÉ and JIRI VÁŇA. Identification Keys to the Liverworts and Hornworts of Europe and Macaronesia (Distribution and Status), 498+
DE LUNA, EFRAIN. *See* EQUIHUA, CLEMENTINA, 602+
Decarboxysquamatic acid (Lecanora), 403
Decarboxythamnolic acid (Thamnolia), 348
DELGADILLO M., CLAUDIO. *See* STARK, LLOYD R., 104+
Dendriscocauloid cyanotypes (Sticta), 12+m
Dendriscocaulon sp., 12+
"Dendriscocaulon" intricatulum, 22
Dendroalsia abietina, 184
Deoxylichesterinic acid (Rinodina intermedia), 459
Depsidones, 232
Desiccation (Bazzania trilobata), 421+
Desmazieres Prize, 369
Diaspore banks, 92+
Dibenzofurans, 232
Dicranium spp., 510
Dicranoloma (reproductive biology), 440+
Dicranoloma billardierei, 440+; menziesii, 440+ platycaulon, 440+
Dicranum fuscescens, 184; scoparium, 183+
Dictyochloropsis, 191+
Dictyorinis diplinthia, *456*
Didymodon brachyphyllus, 372+*; cordatus, 373; gelidus, *374*; johansenii, 59+; luridus, 373; nevadensis, 372+; nicholsonii, 376; reedii, *373*; rigidulus var. gracilis, 59+; spp., 220; tectorum, 372+*m; tophaceus, 376; trifarius, 375; vinealis, 220, 372+; vinealis var. brachyphyllus, *375*
DIEDERICH, PAUL and EMMANUËL SÉRUSIAUX. The Lichens and Lichenicolous Fungi of Belgium and Luxenbourg [review], 642+
DIEDERICH, PAUL. *See* ETAYO, JAVIER, 130+
Diphenyl ethers, 232
Diploschistes diacapsis, 530+; muscorum, 215
Direct gradient analysis (epiphytes), 276
DIRKSE, GERARD M. *See* ROS, ROSA M., 468+
Disjunct distribution (Fissidens sublimatus), 468+m
DNA extraction (Physciaceae), 528+
DNA regions (Sphaerocarpos), 543+
DOBSON, FRANK S. Lichens: an Illustrated Guide to the British and Irish Species [review], 643+
Douinia ovata, 365
DURING, HEINJO. New Frontiers in Bryology and Lichenology. Diaspore Banks, 92+

East Asia (Hypogymnia), 146+
Ecology (lichens), 266
Ecology (Spruceanthus theobromae), 607+
Ecuador (Spruceanthus theobromae), 607+
Editors Report for 2000 – Volume 103, 647+
ELIX, JOHN A. *See* MAYRHOFER, HELMUT, 456+
Emodin (Caloplaca), 4+
Encalypta rhaptocarpa, 216
Endocarpon moenium, *204*; pusillum, 217; spp., 220
ENGEL, JOHN J. and G. L. SMITH MERRILL. Austral Hepaticae 33. Paracromastigum succulentum, comb. nov. (Lepidoziaceae, Jungermanniales), 151+

Environmental factors (pleurocarpous mosses), 72+
Epiphyte communities (Acer circinatum), 274+
Epiphyte stratification, 280
EQUIHUA, CLEMENTINA, ANGELA E. NEWTON, DENEB GARCÍA-ÁVILA, EFRAIN DE LUNA, and S. ROB GRADSTEIN. New Moss Records for Mexico from the Lacandona Tropical Rain Forest, Chiapas, 602+
Erbisch, F. E., 464+
Erioderma glabrum sp. nov., 260+*m
Erratum: Color photographs of the Caloplaca citrina Group in North and Central America, 613
ESSLINGER, THEODORE L. Recent Literature on Lichens – 180, 158+
ESSLINGER, THEODORE L. Recent Literature on Lichens – 181, 316+
ESSLINGER, THEODORE L. Recent Literature on Lichens – 182, 473+
ESSLINGER, THEODORE L. Recent Literature on Lichens – 183, 625+
ETAYO, JAVIER and PAUL DIEDERICH. Gyalideopsis floridae, sp. nov. a New Lichenicolous Lichen from Florida (Gomphillaceae, Ascomycetes), 130+
Ethnic uses (lichens), 345+
Eugene District, Oregon (bryophytes), 181+
Eurhynchium oreganum, 183+; praelongum, 184; striatum, 200+
Evernic acid, lack of (Usnea fragilescens group), 242+
Experimental lichenology, 576+

FAHSELT, DIANNE, MARIANNA KROL, VAGN ALSTRUP, and NORMAN HÜNER. Detection of Pigments in Specimens of Recent and Subfossil Umbilicaria from North Greenland, 593+
FAHSELT, DIANNE, SUSAN MADZIA, and VAGN ALSTRUP. Scanning Electron Microscopy of Invasive Fungi in Lichens, 24+
FAHSELT, DIANNE. *See* BEGORA, MICHAEL D., 134+
Falkland Islands (Schaereria porpidioides), 109+*
Fallacinal (Caloplaca), 4+
FANG, YAN-MING and TIMO KOPONEN. A revision of Thuidium, Haplocladium, and Claopodium (Musci, Thuidiaceae) in China. Bryobrothera 6 [review], 501
Fatty acid (Usnea fragilescens group), 249+
Feather moss mats (microsite displacement), 505+
Festuca idahoensis, 216+
Fissidens appalachensis, 378; arnoldii, 470; bambergeri, 469; bryoides var. schmidii, *469*; bryoides var. viridulus, 469; crispus, 468; geppii, 378; guianensis var. guianensis, 604; **jansenii sp. nov.**, 378+*; megalotis subsp. helictocaulos, 470; minutus, 610; rivularis, 378; schmidii, 469; sublimatus, 468+m
Florida (Gyalideopsis), 130+
Foods (lichens), 345+
Fossombronia, 306
FRAHM, JAN-PETER. Aquatic mossballs of Blindia inundata in Patagonia, 502+
FRAHM, JAN-PETER. Note: Mossballs of Rigodium implexum (Rigodiaceae) on the Forest Floor in Chile, 639+
FREGO, KATHERINE A. *See* SOLLOWS, MARY C., 421+
Fries, Th., 263+
Fries, Th. M., (Scandinavian Lichenologist), 537+*
Frullania nisquallensis, 275; tamarisci subsp. nisquallensis, 183+
FRYDAY, ALAN. [Review of:] DOBSON, FRANK S. Lichens: an Illustrated Guide to the British and Irish Species, 643+
FRYDAY, ALAN M. and L. ALAN PRATHER. The Lichen Collection of Henry Imshaug at the Michigan State University Herbarium (MSC), 464+
FRYDAY, ALAN M. and RALPH S. COMMON. A New Species of Schaereria (Lichenized Fungi) from the Falkland Islands, 109+
Fumarprotocetraric acid (Cladonia acervata), 564
Fumarprotocetraric acid (Cladonia attacta), 566
Fumarprotocetraric acid (Cladonia complanata), 567
Fumarprotocetraric acid (Cladonia cucullata), 568
Fumarprotocetraric acid (Cladonia glebosa), 571
Fumarprotocetraric acid (Cladonia imbricata), 571
Fumarprotocetraric acid (Cladonia lacryma), 227
Fumarprotocetraric acid (Cladonia nudicaulis), 573
Fumarprotocetraric acid (Usnea fragilescens group), 249+
Fungi (lichen and nonlichen), 232
FURUKI, TATSUWO. Lethocolea naruto-toganensis, a New Hepatic from Swamps of Japan, 306+*
Fusicoccadiene, 352*
Fv/Fm readings (Umbilicaria), 598

Galbinic acid (Usnea fragilescens group), 238+
Gangaleoidin (Lecanora), 209
GAO, CHIEN, TONG CAO, and MING-JOU LAI. The Genus Saccogynidium (Geocalycaceae, Hepaticae) in China, 126+
GARBARY, DAVID J. [Review of:] BELL, PETER R. and ALAN R. HEMSLEY. Green Plants: Their Origin and Diversity, 2nd ed., 341
GARCÍA-ÁVILA, DENEB. *See* EQUIHUA, CLEMENTINA, 602+
GARILLETI, RICARDO, FRANCISCO LARA, AND VICENTE MAZIMPAKA. Orthotricum underwoodii, sp. nov. (Orthotrichaceae, Bryopsida) from California, 268+
Geissler, Patricia E. (In Memoriam), 156+*
Gemmae (Calymperaceae), 282+
Gemmae (Calymperaceae), 299+
Gemmipars (Calymperaceae), 299+
Gene flow (lichen chemotypes), 232
General Circulation Models, 414+
Geocalycaceae (Saccogynidium), 126+
Germany (Scapania), 362+
Germination (sex specific), 69+
GIBSON, DAVID J. Obituary: Eric Vernon Watson B.Sc., Ph.D. (1914-1999), 471+
GIGNAC, L. DENNIS. New Frontiers in Bryology and Lichenology. Bryophytes as Indicators of Climate Change, 410+
GILBERT, OLIVER. Lichens [review], 500
Global warming, 410+
Glyphomitrium muelleri, *522*; neo-caledonicum, *522*
Gomphillaceae (Gyalideopsis), 130+
GOWARD, TREVOR. *See* TØNSBERG, TORR 12+
Graciliformin (Rinodina intermedia), 459
GRADSTEIN, S. ROB. *See* EQUIHUA, CLEMENTINA, 602+
GRADSTEIN, S. ROB. *See* HEINRICHS, JOCHEN, 350+
GRADSTEIN, S. ROB. *See* KAUTZ, TIMO, 607+
Gradsteinia andicola, 200+
GRASSLER, MICHAELA C. *See* MAYRHOFER, HELMUT, 456+
Grazing (biotic soil crusts), 212+
Great Discoveries in Bryology and Lichenology (Apospory in Mosses), 40+
Great Discoveries in Bryology and Lichenology (Index Bryologicus), 367+
Great Discoveries in Bryology and Lichenology (Th. M. Fries), 537+
Great Discoveries in Bryology and Lichenology (William Nylander), 263+
Great Lakes region, North America (lichens), 464+
Greenland (Umbilicaria), 593+
Grimmia orbicularis, 115+
GROLLE, RICLEF and ALEXANDER SCHMIDT. A Fossil Scapania (Hepatica) with Perianth and Capsule in Bitterfeld Amber (Eocene) from Germany, 362+
GROTH, HENK. *See* HEINRICHS, JOCHEN, 350+
Growth rates (harvestable bryophytes), 181+

Guo, Shuilian. *See* Cao, Tong, 303+*
Guo, Yuanming. *See* Cao, Tong, 522+
Gyalideopsis floridae sp. nov., 130+*
Gyrophoric acid (Lethariella), 347
Gyrophoric acid (Lobaria), 346

Hammer, Samuel. A New Cladonia from California, 226+
Hammer, Samuel. Additions to the Lichen Family Cladoniaceae in Australia, 560+
Harada, Hiroshi. *See* Wang, Li-song, 345+
Harris, R. C., 464+
Harvestable epiphytic bryophytes, 181+
Hawaii (Sphagnum), 290+
Hedenäs, Lars. Environmental Factors Potentially Affecting Character States in Pleurocarpous Mosses, 72+
Heinrichs, Jochen, Henk Groth, S. Rob Gradstein, David S. Rycroft, W. John Cole, and Hermann Anton. Plagiochila rutilans (Hepaticae): A Poorly Known Species from Tropical America, 350+
Helocarpaceae, 600+
Helocarpon corticola, *600*; **lesdainii comb. nov.**, 600+
Hemsley, Alan R. *See* Bell, Peter R., 341
Hepaticae (Saccogynidium), 126+
Herbalist shops (Yunnan), 345+
Herrera-Campos, María Angeles, Thomas H. Nash III, and Angel Zambrano Garcia. Preliminary Study of the Usnea fragilescens Aggregate in Mexico, 235+
Hollensen, Raymond H. (In Memoriam), 154+*
Homalothecium fuscescens, 183+; nuttallii, 184
Homosekekaic acid (Cladonia), 571
Hookeria lucens, 200+
Hookeriaceae, 72+
HPLC (Umbilicaria), 596+
Hüner, Norman. *See* Fahselt, Dianne, 593+
Husnot, Pierre Tranquille, 367
Hutton Balfour Prize for Botany, 471
Hydroelectric lines (lichens), 297+
Hygroamblystegium tenax, 200+
Hygrohypnum luridum, 200+; ochraceum, 200+; smithii, 199+
Hylocomiaceae, 72+
Hylocomium splendens, 200+, 418
Hypnaceae, 72+
Hypnales (cladogram), 202*
Hypnobartlettia fontana, 199+
Hypnobartlettiaceae, 199+
Hypnum amabile, 519; subimponens, 183+
Hypogymnia arcuata sp. nov., 146+*; enteromorpha, 275; fragillima, 146+; inactiva, 275; physodes, 275; **sachalinensis sp. nov.**, 146+*

Imshaug, Henry A., 464+*
Imshaugia placorodia, 530+
In Memoriam: Patricia E. Geissler, 156+
In Memoriam: Raymond H. Hollensen, 154+
Index bryologicus, 367+
Indicator species (climate change), 410+
Indicator species analysis (bryophytes), 183+
Indicator species analysis, 214
Infra Red Gas Analysis (IRGA), 421+
Invasive fungi (lichens), 24+
Iodine reactions (lichens and fungi), 264
Isobryales, 72+
Isomenthone, 352*
Isorangiformic acid (Lecanora), 209
Isothecium myosuroides, 183+, 275, 430+
Isousnic acid (Lecanora), 382+
ITS1-5.8S-ITS2 (Chaenotheca), 192
Iwatsuki, Z. Mosses and Liverworts of Japan [review], 644

Jackknife tree (lichens), 532+
Japan (Lethocolea naruto-toganensis), 306+
Jiménez, Juan A. *See* Ros, Rosa M., 468+
Jørgensen, Per M. Great Discoveries in Bryology and Lichenology. Th. M. Fries (1832-1913), A Grand Scandinavian Lichenologist, 537+
Jørgensen, Per M. Two Remarkable Additions to the Pannariaceous Flora of South America, 260+
Jungermannia gymnocalycina, 359; rigidula, 126
Jungermanniales (Paracromastigum), 151+

K test (lichens), 263+
Källersjö, Mari. *See* Dahlkild, Åsa, 527+
Karlin, Eric F. Taxonomy of Hawaiian Sphagna, 290+
Kautz, Timo and S. Rob Gradstein. On the Ecology and Conservation of Spruceanthus theobromae (Lejeuneaceae, Hepaticae) from Western Ecuador, 607+
Kazda, Jindrich. The Ecology of Mycobacteria [review], 497
KC test (lichens), 263
Key (Chinese species of Saccogynidium), 126
Key to Didymodon vinealis and Relatives with Deltoid Leaves in North America, 372
Key to the New Taxa (Cladoniaceae), 560
Key to the Species (Lecanora), 387
Key to the Usnea fragilescens aggregate in Mexico, 243+
Koeleria cristata, 216
Koponen, Timo. *See* Fang, Yan-Ming, 501
Krol, Marianna. *See* Fahselt, Dianne, 593+

Lacandona Tropical Rain Forest, Chiapas (new moss records), 602+m
LaGreca, Scott, and H. Thorsten Lumbsch. Three Species of Lecanora New to North America, With Notes on Other Poorly Known Lecanoroid Lichens, 204+
Lai, Ming-jou. *See* Gao, Chien, 126+
Lamy, Denis. Great Discoveries in Bryology and Lichenology. The *Index bryologicus* by General Édouard Gabriel Paris, 367+
Lara, Francisco. *See* Garilleti, Ricardo, 268+
Lasallia papulosa, 24+
Lasiospheriopsis stereocaulicola, 24+*
Leaf area index (lichens, mosses), 508+
Lecania fuscella, 389
Lecanora, 204+, 382+; aitema, 389; albellula, 383+*m; **americana comb. nov.**, 383+*m; anomala var. ochrostoma, 389; argentata, 208+; beringii, 220; cembricola, *389*; confusa, 383+*m; **coniferarum sp. nov.**, 383+*m; conizaea var. americana, 389; **densa comb. nov.**, 383+*m; diplinthia, *456*; diplinthia f. terrestris, *456*; effusella, *389*; epilbryon, 220; expallens, 392; flavocitrina, *4*; fuscidula, *205*; **latens sp. nov.**, 383+*m; **laxa comb. nov.**, 383+*m; metaboliza, *405*; minutella, 204+*m; mughicola, 383+*m; ochraceorubescens, 204+*; ochromma, *389*; orae-frigidae, 402; **perconfusa sp. nov.**, 383+*m; phlogina, *4*; piniperda, *389*; polytropa, 209, 383+*m; pseudargentata, 204+*; rhodi, 204+*; saligna, 383+*m; salignus, *402*; sensu stricto, 204+; sp. 3, 393; sp. 5, 401; spec. 1, 383+*m; spp., 220; stenotropa, 204+*; strobilina, 383+*m, *403*; subintricata, 383+*m; sublivescens, 405; **substrobilina sp. nov.**, 383+*m; subvaria, *406*; symmicta, 207, 383+*m; symmictera f. occidentalis, *392*; tropica, 208; varia, 383+*m; varia q symmicta, *405*; varia subsp. densa, *394*; varia subsp. laxa, *395*; varia subsp. subintricata, *403*; varia var abbrevians, *406*; varia var subravida, 389; varia var. subvaria, *406*; xantholyta, *10*; zosterae, 220
Lecanorales (Physciaceae), 527+
Lecanoric acid (Lethariella), 347
Lecanoric acid (Lobaria), 346

Lecanoric acid, lack of (Usnea fragilescens group), 242+
Lecanoropsis saligna, *402*; subintricata, *403*
Lecidea harmandii, *600*; lesdainii, *600*; polytropa, *401*; symmicta, *405*
Lecidella elaeochroma, 530+
Leighton, W. A., 263
Leioderma sorediatum, 261
Lejeunea caespitosa, 610; cephalandra, 610; laetevirens, 610
Lejeuneaceae (Spruceanthus theobromae), 607+
Lepidozia succulenta, *151*
Lepidoziaceae (Paracromastigum), 151+
Leprocaulon subalbicans, 220
Leptochidium albociliatum, 215+
Leptogidium intricatulum, *22*
Leptogium corticola, 519; intermedium, 220; intricatulum, *22*; polycarpum, 184; spp., 215; subaridum, 220; tenuissimum, 220
Lethariella cashmeriana, 347*; cladonioides, 347; cladonioides group, 347; flexuosa, 347; mieheana, *347*; sernanderi, 347*; sinensis, 347*
Lethocolea congesta, 306; javanica, 306; **naruto-toganensis sp. nov.**, 306+*; pansa, 306
Leucolepis acanthoneuron, 184
Lichen chemistry, 230+
Lichen chemotaxonomy, 263+
Lichen collection (MSC), 464+
Lichen substances, 230+
Lichen systematics, 230+
Lichen varius, *406*
Lichenicolous lichen (Gyalideopsis), 130+
Lichens (microsite displacement), 505+
Lichens (uses), 345+
Lichtenthaler's model of stress, 421+
Lignicolous Lecanora spp., 382+
Likelihood ratio chi-square tests (epiphytes), 276
Limestone (Verrucaria kootenaica), 453+
Limonene, 352*
List of Fungi from Living and Decomposing Sphagnum fuscum, 554+
Livestock activity (biotic soil crusts), 212+
Lmn-1 (Lecanora minutella), 207
Lmn-2 (Lecanora minutella), 207
Lobaria amplissima (new to North America), 12+*m; gyrophorica, *346*; isiophora, 346; kurokawae, 346; orientalis, 346; pulmonaria, 275; yoshimurae, 346
Lohtander, Katileena. *See* Dahlkild, Åsa, 527+
Lophocolea pseudoverrucosa, *126*
Lopidium concinnum, 200+
Lumbsch, H. Thorsten. *See* LaGreca, Scott, 204+
Lutein (Umbilicaria), 595+

MacClade (Chaenotheca), 192
Madzia, Susan. *See* Fahselt, Dianne, 24+
Malachowski, J., 464+
Malanelia fuliginosa, 275
Malcolm, Bill and Nancy Malcolm. Mosses and Other Bryophytes: An Illustrated Glossary [review], 340
Malcolm, Nancy. *See* Malcolm, Bill., 340
Mantel test (bryophytes), 183+
Marchandiomyces corallinus, 24+*
Marchantiales (Cyathodium), 141+
Marchesinia brachiata, 610
Massalongia carnosa, 220
Maui (Sphagnum), 295+
Maximum parsimony analysis (Chaenotheca), 192
Mayrhofer, Helmut, John W. Sheard, Michaela C. Grassler, and John A. Elix. Rinodina intermedia (Physciaceae, Lichenized Ascomycetes): A Well-characterized Species with Submuriform Ascospores, 456+
Mazimpaka, Vicente. *See* Garilleti, Ricardo, 268+
McCune, Bruce and Svetlana Tchabanenko. Hypogymnia arcuata and H. sachalinensis. Two New Lichens from East Asia, 146+
McCune, Bruce P. *See* Ponzetti, Jeanne M., 212+
McCune, Bruce. *See* Ruchty, Andrea, 274+
McLetchie, D. Nicholas and Alison L. Collins. Identification of DNA Regions Specific to the X and Y Chromosomes in Sphaerocarpos texanus, 543+
McLetchie, D. Nicholas. Sex-Specific Germination Response in the Liverwort Sphaerocarpus texanus (Sphaerocarpaceae), 69+
Medicinal teas (lichens), 345+
Megaspora verrucosa, 215
Melanelia glabra, 530+
Menthane monoterpenoids (Plagiochila), 350+
Menthone, 352*
Merrill, G. L. Smith. *See* Engel, John J., 151+
meta-depsides, 232
Metaneckera menziesii, 184
Mexico (Bryophyte harvesting), 517+
Mexico (new moss records), 602+
Mexico (Usnea), 235+
Michigan State University Herbarium (MSC), 464+
Microbiology (lichens), 576+
Microclimatic stress (Bazzania trilobata), 421+
Microfungi (Sphagnum), 548+
Microlepidozia succulenta, *151*
Microsite displacement (lichens), 505+
Mielichhoferia macrocarpa, 59+
Miller, Norton G. and Norman Trigoboff. A European Feather Moss, Pseudoscleropodium purum, Naturalized Widely in New York State in Cemeteries, 98+
Milne, Josephine. Reproductive Biology of Three Australian Species of Dicranoloma (Bryopsida, Dicranaceae): Sexual Reproduction and Phenology, 440+
Milne-Edwards Prize, 370
Mitthyridium (substrate preferences, 9 species), 582+
Mitthyridium, 282+; adpressum, 286, 301; constrictum, 286; crassum, 286; fasciculatum, 284+, 301; flavum, 284+; jungquilianum, 284+; leucoloma, 286; luteum, 286; megamorphum, 284+*, 301; obtusifolium, 286; papuanum, 286; perundulatum, 286+; repens, 286; retusum, 286; subluteum, 286; wallisii, 286
Mniomalia viridis, 604
Mnium arizonicum, 59+; spinulosum, 59+
Mojave Desert (Aloina), 104+
Mojave Desert (Grimmia), 115+
Molecular phylogeny (Chaenotheca), 191+
Monarch Butterfly Biosphere Reserve, 517+
Montagne Prize, 369
Morinia ehrenbergiana, 519
Morocco (Fissidens sublimatus), 468+m
Morphology (gemmae), 282+
Morphology (Usnea fragilescens group), 236+
Mossballs (Blindia inundata), 502+*
Mossballs (Rigodium), 639+
MRBP, 214
MSC (Michigan State University Herbarium), 464+
Muellerella pygmaea, 24+*
Muir, Patricia S. *See* Peck, JeriLynn, 181+
Muir, Patricia S. *See* Rosso, Abbey L., 430+
Multiple group discriminant analysis, 236
Multi-response permutation procedures (bryophytes), 183+
Multi-Response Permutation Procedures (epiphytes), 279
Muñoz, Jesús and Francisco Pando. A World Synopsis of the Genus Grimmia. Monographs in Systematic Botany from the Missouri Botanical Garden 83 [review], 497

Mycocalicium subtile, 194

NARUI, TAKAO. *See* WANG, LI-SONG, 345+
Naruto-Togane Swamp (Japan), 306+
NASH, THOMAS H., III. *See* HERRERA-CAMPOS, MARIA ANGELES, 235+
Neckera douglasii, 183+, 275
Neckeropsis undulata, 610
Neotropics (Cyathodium), 141+
Neoxanthin A (Umbilicaria), 595+
Neoxanthin B (Umbilicaria), 595+
Nephroma helveticum, 275; laevigatum, 275
Nephroma spp., 510
New Brunswick (Bazzania trilobata), 421+
New Frontiers in Bryology and Lichenology (Bryophytes as Indicators), 410+
New Frontiers in Bryology and Lichenology (Diaspore Banks), 92+
New Frontiers in Bryology and Lichenology (Experimental Lichenology and Lichen Microbiology), 576+
New Frontiers in Bryology and Lichenology (Lichen Chemistry), 230+
New York (Pseudoscleropodium), 98+
NEWTON, ANGELA E. *See* EQUIHUA, CLEMENTINA, 602+
Nomenclator bryologicus, 367
Nonmetric multidimensional scaling (bryophytes), 183+
Non-metric multidimensional scaling (NMS), 214
NORFOLK, CHRISTOPHER. *See* SOLLOWS, MARY C., 421+
Norgangaleoidin (Lecanora), 209
Norlichexanthone (Lecanora), 392+
Norstictic acid (Lethariella), 347
Norstictic acid (Lobaria), 346
Norstictic acid (Usnea fragilescens group), 238+
North America (Caloplaca), 1+
North America (Didymodon), 372+
North America (Lecanora), 204+
North America (lichen collections), 464+
North America (Vezdaea), 297+
Northwest Lichen Guild, 344
Northwest Lichenologists, 344
Nostoc, 221
Nostoc (Sticta), 12
Nothofagus cunninghamii (Dicranoloma), 440+
nrDNA (Hypnobartlettia), 199+
Nylander, William, 263+*

Obituary: Eric Vernon Watson B.Sc., Ph.D. (1914–1999), 471+
Obtusaic acid (Chaenotheca), 193
Ochrolechia upsaliensis, 220
OCHYRA, RYSZARD. *See* ZANDER, RICHARD H., 372+
Ochyraea tatrensis, 199+
Old-growth stand (epiphytic bryophytes), 430+
Omineca-Germansen area (British Columbia), 506m
Omphalina hudsoniana, 578+*
Oregon (Acer circinatum), 274+
Oregon (biotic soil crusts), 212+m
Oregon Cascades (epiphytic bryophytes), 431+
Oregon, central western (bryophytes), 181+
Oregon, west-central (epiphytic bryophytes), 430+
Organic matter (mosses), 59+
Orsellinic acid, 232
Orthostichella hexasticha, 604
Orthostichopsis praetermisa, 604
Orthotrichum consimile, 275; lyellii, 184, 275; aequatoreum, 271; crispifolium, 271; cylindrocarpum, 268; griffithii, 271; handiense, 271; pallens, 272; revolutum, 271; tenellum, 268; **underwoodii sp. nov.**, 268+*
Oxalate crystals (Lecanora), 204

Pacific North America (lichens), 12
Pacific Northwest (Helocarpon), 600+
Paleoreconstructions (climates), 412+
Palustriella commutata, 199+
PANDO, FRANCISCO. *See* MUÑOZ, JESÚS, 497
Pannaria conoplea, 262; pezizoides, 510; saubinetii, 275
Pannariaceae, 260+
Pannarin (Rinodina intermedia), 459
Paracromastigum succulentum comb. nov., 151+*
para-depsides, 232
Parietin (Caloplaca), 4+
Parietinic acid (Caloplaca), 4
Paris, General Édouard Gabriel, 367+*
Parmelia carporrhiza, 530+; citrina P. phlogina, *4*; strobilina, *403*; sulcata, 275
Parmeliella conopleoides sp. nov., 260+*m; pannosa complex, 262
Parmelina tiliacea, 530+
Parmotrema perforatum, 131; submarginale, 131*
Patagonia (Blindia inundata), 502+
Patellaria varia, *406*
PAUP (Physciaceae), 528+
PAUP 4.04b4a, 201
PAUP* 404b4a (molecular phylogeny), 192
PCR, 199+
PCR (Chaenotheca), 192
PCR (Physciaceae), 528+
PCR (Sphaerocarpos), 544
p-cymene, 352*
PD test (lichens), 263
Peatlands (climate change), 413+
PECK, JERILYNN E. and PATRICIA S. MUIR. Harvestable Epiphytic Bryophytes and their Accumulation in Central Western Oregon, 181+
Peculiaroxide, 352*
Peltigera aphthosa, 24+, 510; canina, 519; collina, 275; didactyla, 220; malacea, 510; polydactyla, 519; ponojensis, 220; rufescens, 220; spp., 217
Penicillium, 28*
Peppermint odor (Plagiochila), 350+
PERALTA, MARLENE GÓMEZ and JAN H. D. WOLF. Commercial Bryophyte Harvesting in the Monarch Butterfly Biosphere Reserve, Sierra Chincua, Michoacan, Mexico, 517+
PEROLD, SARIE M. Flora of Southern Africa. Hepatophyta. Part 1: Marchantiopsida. Fascicle 1: Marchantiidae [review], 340
pH (mosses), 59+
Phaeophyscia orbicularis, 528+
Phaeorrhiza sareptana, 216
Phenology (Dicranoloma), 440+
Phenophases (Grimmia sporophytes), 115+*
Photobiont diversity (Physciaceae), 527+
Photobionts (Chaenotheca), 191+
Photosynthesis (Bazzania trilobata), 421+
Phyllodrepanium falcifolium, 604
Phylogenetic analysis (Physciaceae), 528+
Physcia adscendens 1, 530+; adscendens 2, 530+; caesia, 528+; tenella, 528+
Physciaceae (photobiont diversity), 527+
Physconia distorta, 528+
Physodic acid (Hypogymnia), 146+
Pigments (Umbilicaria), 593+
Pine-lichen woodlands, 505+
Pinus (Usnea fragilescens group), 242
Pireella cymbifolia, 610
p-isopropenyltoluene, 352*
Placodium chrysodetum, *4*; ferrugineum c. discolor, *8*; tominii, *7*; xanthostigmoideum, *8*
Placynthiella oligotropha, 220; spp., 220; uliginosa, 220
Plagiochila aerea, 358; atlantica, 358; crispabilis, 358; distinctifolia fo. linearifolia, *352*; elegantula, *360*; farlo-

wii, *351*; gymnocalycina, 358; harrisana, *352*; jovoensis, *359*; lambertina, *359*; montagnei, 610; organensis, *352*; patentissima, 358; portoricensis, *359*; remotifolia, *351*; rutilans, 350+; rutilans fo. foliicola, 360; rutilans var. aequatorialis, *360*; rutilans var. angustifolia, *360*; rutilans var. laxa, *359*; rutilans var. liebmanniana, *359*; rutilans var. rutilans, 353+*m; **rutilans var. standleyi comb. et stat. nov.**, 355+*; sect. Parallelae, 358; simplex, 358; standleyi, *357*; subpana, 610
Plagiochiline C, 358
Plagiomnium venustum, 183+
Plagiotheciaceae, 72+
Plagiothecium undulatum, 200+
Platismatia glauca, 275; herrei, 275; stenophylla, 275
Platyhypnidium mutatum, 200+; riparioides, 200+
Pleurocarpous mosses, 72+
Pleurosticta acetabulum 1, 530+; acetabulum 2, 530+
Pleurozium schreberi, 510
Poa secunda, 223
Pohlia spp., 510
Polychidium intricatulum, *22*
Polypodium glycyrrhiza, 184
Polytrichum juniperinum, 510
PONZETTI, JEANNE M., *and* BRUCE P. MCCUNE. Biotic Soil Crusts of Oregon's Shrub Steppe: Community Composition in Relation to Soil Chemistry, Climate, and Livestock Activity, 212+
Poor fens (climate change), 411+
Porella cordaeana, 183+; navicularis, 183+, 275
Portugal (Fissidens), 378+
Potassium hydroxide, 263+
p-phenylenediamine, 263
PRATHER, L. ALAN. *See* FRYDAY, ALAN M., *464*+
Primer sequences (lichens), 530+
Pringsheim, Nathanael, 40+*
PRINTZEN, CHRISTIAN. Corticolous and Lignicolous Species of Lecanora (Lecanoraceae, Lecanorales) with Usnic or Isousnic Acid in the Sonoran Desert Region, 382+
Protocetraric acid (Cladonia), 566
Protocetraric acid (Usnea fragilescens group), 238+
Pseudocyphellaria anomala, 275
Pseudoscleropodium purum (New York), 98+*m
Psora cerebriformis, 216; globifera, 220; montana, 220
Psoromic acid (Lecanora), 394+
Psoromic acid (Lethariella), 347
Psoromic acid (Usnea fragilescens group), 242+
Pterygoneuron ovatum, 216
Ptilidium pulcherrimum, 510
Ptilium crista-castrensis, 510
Ptychomitrium balansae, *522*; brevifolium, *522*; commutatum, *522*; cucullatifolium, 303; eurybasis, *522*; fauriei, 303; howeanum, *522*; howei, *522*; microblastum, *522*; muelleri, 522+*m; neo-caledonicum, *522*; uruguense *522*; **yulongshanum sp. nov.**, 303+*
Pulegone, 352+*
Pulvinic acid (Chaenotheca), 193
Punctelia subrudecta, 530+
PURSELL, RONALD A., BARBARA M. THIERS, BRUCE ALLEN, and WILLIAM R. BUCK. Recent Literature on Bryophytes—104(3), 487+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 170+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 310+; 615+
PURSELL, RONALD A. *See* ROS, ROSA M., 468+
PURSELL, RONALD A. *See* SÉRGIO, CECÍLIA, 378+
Pygmy Forest (California), 226
Pyrrhospora, 207

Quercus (Usnea fragilescens group), 242

Radula bolanderi, 275; complanata, 275; javanica, 610
Ramalina conduplicans, 346; siliquosa group, 231; sinensis, 346; sp., 530+
RAMBO, THOMAS R. *See* ROSSO, ABBEY L., 430+
Ramboldia, 207
Rangiformic acid (Lecanora), 209
rDNA (Chaenotheca), 192
Recent Literature on Bryophytes—104(1), 170+
Recent Literature on Bryophytes—104(2), 310+
Recent Literature on Bryophytes—104(3), 487+
Recent Literature on Bryophytes—104(4), 615+
Recent Literature on Lichens—180, 158+
Recent Literature on Lichens—181, 316+
Recent Literature on Lichens—182, 473+
Recent Literature on Lichens—183, 625+
Recovery (Bazzania trilobata), 421+
REESE, WILLIAM D. Gemmipars in the Calymperaceae, 299+
REESE, WILLIAM D. The Gemmae of the Calymperaceae, 282+
REESE, WILLIAM. Substrate Preference in Calymperaceae: Calymperes, Mitthyridium, and Syrrhopodon, 582+
Reproductive biology (Dicranoloma), 440+
Retigeric acid A (Lobaria), 346
Retigeric acid B (Lobaria), 346
Reviewers of Manuscripts Submitted During 2000, 504
Revue bryologique, 367+
Rhizomnium glabrescens, 184
Rhynchostegiella jacquinii, 200+; pumila, 200+
Rhynchostegium murale, 200+; rotundifolium, 200+
Rhytidiadelphus loreus, 184; triquetrus, 184
RICHARDSON, DAVID H. S. [Review of:] GILBERT, OLIVER. Lichens, 500
Rigodium implexum, 639+*
Rinodina conradii var. megaspora, *456*; conradii, 459; darrovii, *456*; diplinthia f. terrestris, *456*; diplinthia, *456*; homobola, 461; homoboloides, 461; intermedia, 456+*m; lusitanica, *456*; megaspora, *456*; mucronatula, 220; sabulosa, *456*
Rocky Mountains (Verrucaria kootenaica), 453+
ROS, ROSA M., JUAN A. JIMÉNEZ, MARÍA J. CANO, RONALD A. PURSELL, MARIA A. BRUGGEMAN-NANNENGA, and GERARD M. DIRKSE. Fissidens sublimatus, New to Morocco and the Canary Islands, 468+
ROSSO, ABBEY L. *See* RUCHTY, ANDREA, 274+
ROSSO, ABBEY L., PATRICIA S. MUIR and THOMAS R. RAMBO. Using Transplants to Measure Accumulation Rates of Epiphytic Bryophytes in Forests of Western Oregon, 430+
RUCHTY, ANDREA, ABBEY L. ROSSO, and BRUCE MCCUNE. Changes in Epiphyte Communities as the Shrub, Acer circinatum, Develops and Ages, 274+
RYCROFT, DAVID S. *See* HEINRICHS, JOCHEN, 350+

Sabinene, 352*
Saccogyna bidentula, *126*; jugada, *126*
Saccogynidium (China), 126+; **irregularospinum sp. nov.**, 129*; muricellum, 126+*; rigidulum, 126+*
SALAZAR ALLEN, NORIS. Cyathodium bischlerianum, sp. nov. (Marchantiales) a New Species from the Neotropics, 141+
Salazinic acid (Ramalina), 347
Salazinic acid (Usnea fragilescens group), 238+
Sanionia uncinata, 200+
Scanning electron microscopy (invasive fungi in lichens), 24+
Scapania, 362+; **hoffeinsiana sp. nov.**, 362+*; stephanii, 365; umbrosa, 365
Scapanites acutifolius, *362*
Schaereria porpidioides sp. nov., 109+*m
Schimper, W. P., 367
SCHMIDT, ALEXANDER. *See* GROLLE, RICLEF, 362+

SCHOFIELD, WILFRED B. [Review of:] CROSBY, MARSHALL. Vade Mecum Bryologiae I. Contributions of the Hedwigian Society 2, 342
SCHOFIELD, WILFRED B. [Review of:] MALCOLM, BILL and NANCY MALCOLM. Mosses and Other Bryophytes: An Illustrated Glossary, 340
SCHOFIELD, WILFRED B. *See* TALBOT, STEPHEN S., 47+
SCHOFIELD, WILFRED B. [Review of:] IWATSUKI Z. Mosses and Liverworts of Japan, 644
SCHOLZ, PETER. Katalog der Flechten und flechtenbewohnenden Pilze Deutschlands [review], 642+
SCHUMACKER, RENÉ and JIRI VÁŇA. Identification Keys to the Liverworts and Hornworts of Europe and Macaronesia (Distribution and Status) [review], 498+
Schwendenerian heresy, 266
Seasonal pattern of development (Dicranoloma), 442+
Secondary chemistry of cultured mycobionts (lichens), 576+
Secondary products (lichens), 230+
SEM (lichens), 24+
Sematophyllaceae, 72+
SÉRGIO, CECÍLIA and RONALD A. PURSELL. Fissidens jansenii (Fissidentaceae; Bryopsida), a New Aquatic Species from Portugal, 378+
Sexual reproduction (Dicranoloma), 440+
SHAW, JONATHAN and BERNARD GOFFINET. Bryophyte biology [review], 644+
SHEARD, JOHN W. *See* MAYRHOFER, HELMUT, 456+
Shrub steppe (soil crusts), 212+
Shrubs (epiphyte communities), 274+
Sierra Chincua, Michoacan, Mexico, 517+m
Skyrin (Rinodina), 459
Snow tea (Thamnolia), 348
Société linnéenne de Bordeaux, 367+
SÖDERSTRÖM, LARS. [Review of:] SARIE M. PEROLD. Flora of Southern Africa. Hepatophyta. Part 1: Marchantiopsida. Fascicle 1: Marchantiidae, 340
Soil crusts, 212+
SOLLOWS, MARY C., KATHERINE A. FREGO, and CHRISTOPHER NORFOLK. Recovery of Bazzania trilobata following desiccation, 421+
Sonoran Desert Region (Lecanora), 382+
Soralia (Usnea fragilescens group), 242+*
South America (Pannariaceae), 260+
Spathulenol, 352*
Species assemblages (climate change), 412+
Species composition (bryophytes), 183+
Species concept (Usnea fragilescens group), 236
Species limitations (mosses), 59+
Sphaerocarpos texanus, 69+, 543+
Sphagnum (climate chnage), 411+
Sphagnum compactum, 295; fuscum (Microfungi), 548+; henryense, 294+; lonchocladum, 292+; palustre, 290+; perichaetiale, 293+; vitjianum, 293+; wheeleri, 294+
Sphagnum-dominated peatland responses, 415
Spore production (Aloina), 104+
Sporophyte abortion (Grimmia), 115+
Sporophyte phenology (Grimmia), 119+
Spot test (lichens), 263+
SPRIBILLE, TOBY. *See* BREUSS, OTHMAR, 453+
Spruceanthus theobromae, 607+m
Squamatic acid (Chaenotheca), 193
Squamatic acid (Thamnolia), 348
Squamella gen. nov., 560+*; **spumosa sp. nov.**, 561+*m
St. Matthew Island (lichens), 47+m
St. Paul Island (lichens), 47+*m
STARK, LLOYD R. Widespread Sporophyte Abortion Following Summer Rains in Mojave Desert Populations of Grimmia orbicularis, 115+
STARK, LLOYD R. and CLAUDIO DELGADILLO M. Rhizoautoicous Aloina bifrons in the Mojave Desert, a Possible Adaptation to Increase Spore Production, 104+
STECH, MICHAEL, and JAN-PETER FRAHM. The Systematic Position of Ochyraea tatrensis (Hypnobartlettiaceae, Bryopsida) Based on Molecular Data, 199+
Steinia geophana, 298
Stereocaulon alpinum, 510; depressum, 24+
Stichococcus, 191+
Sticta filix, 12; latifrons, 12; **oroborealis sp. nov.**, 12+*m; stipitata, 12; wrightii, 20+*
Stictic acid (Lobaria), 346
Stictic acid (Squamella), 562
Stictic acid (Usnea fragilescens group), 238+
Stigmidium peltideae, 24+
STOCKER-WÖRGÖTTER, ELFIE. New Frontiers in Bryology and Lichenology. Experimental Lichenology and Microbiology of Lichens: Culture Experiments, Secondary Chemistry of Cultured Mycobionts, Resynthesis, and Thallus Morphogenesis, 576+
STOTLER, RAYMOND. [Review of:] BEDNAREK-OCHYRA, HALINA, JIRÍ VÁNA, RYSZARD OCHYRA, and RONALD I. LEWIS SMITH. The Liverwort Flora of Antarctica, 646
Stress responses (Bazzania trilobata), 421+
Structure and Life of Bryophytes (Watson), 471
Subantarctic (lichen collections), 464+m
Subfossil chemistry (Umbilicaria), 593+
Submuriform ascospores (Rinodina), 456+*
Substrate breadths, 62+
Substrate preference (Calymperaceae), 582+
Substrate specificity (mosses), 59+
SULYMA, RANDY and DARWYN S. COXSON. Microsite Displacement of Terrestrial Lichens by Feather Moss Mats in Late Seral Pine-Lichen Woodlands of North-central British Columbia, 505+
Symbiezidium barbiflorum, 610
Syrrhopodon, 282+; (substrate preferences, 50 taxa), 578+; africanus, 604; africanus subsp. africanus, 284+; africanus subsp. graminicola, 284+; albovaginatus, 286+, 301; annotinus, 286; aristifolius, 286+; armatispinosus, 286+; asper, 286; ciliatus, 286+; 300+; circinatus, 286; confertus, 286+; crenulatus, 284; croceus, 286+; cryptocarpos, 286+; cymbifolius, 284+; disciformis, 284+*; elatus, 286; elongatus var. elongatus, 288; elongatus var. glazovii, 288; fimbriatus, 288; flammeonervis, 286; flexifolius, 284+, 604; gardneri, 286+; helicophyllus, 283+; hispidissimus, 288; hornschuchii, 286+, 604; incompetus, 610; incompletus var. berteroanus, 286; incompletus var. incompletus, 284+*; involutis, 288; isthmi, 288; japonicus, 287; leprieurii, 287+; ligulatus, 286+; loreus, 288; lycopodioides, 287, 300+*; mahensis, 286; mammillosus, 286; mauritianus, 286; muelleri, 286+; orientalis, 284; parasiticus, 284+*; peguensis, 287; prolifer, 301; prolifer var. albidus, 288; prolifer var. cincinnatus, 288; prolifer var. mossmanensis, 286+; prolifer var. prolifer, 288; rigidus, 285+; rupestris, 288; semiliber, 287; simmondsii, 301; spiculosus, 287; steyermarkii, 288; stonae, 287; subg. Pseudocalymperes, 283+; texanus, 287; theriotii, 288; tjibodensis, 287, 301; tortilis, 288; trachyphyllus, 284+*; tristichus, 286; xanthophyllus, 286+
Taiwan [China] (Saccogynidium), 126+
TALBOT, SANDRA LOOMAN. *See* TALBOT, STEPHEN S., 47+
TALBOT, STEPHEN S., SANDRA LOOMAN TALBOT, JOHN W. THOMSON, and WILFRED B. SCHOFIELD. Lichens from St. Matthew and St. Paul Islands, Bering Sea, Alaska, 47+
TCHABANENKO, SVETLANA. *See* MCCUNE, BRUCE, 146+
Teas (lichens), 345+

TEHLER, ANDERS. *See* DAHLKILD, ÅSA, 527+
Telaranea succulenta, *151*
Teloschistin (Caloplaca), 4
Temperature (bryophytes), 410+
Terpenolene, 352*
Tetraphis pellucida, 418
Thallus morphogenesis (lichens), 576+
Thamnobryum alopecurum-Chrysosplenium oppositifolium community, 381
Thamnolia subuliformis, 348*; vermicularis, 348*
Thamnolic acid (Thamnolia), 348
Thelephoric acid (Lobaria), 346
THIERS, BARBARA M. *See* ALLEN, BRUCE, 170+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 310+, 615+
THIERS, BARBARA M. *See* PURSELL, RONALD A., 487+
Thiophanic acid (Lecanora), 392+
THOMSON, JOHN W. *See* TALBOT, STEPHEN S., 47+
THORMANN, MARKUS N., RANDOLPH S. CURRAH, and SUZANNE E. BAYLEY. Microfungi Isolated from Sphagnum fuscum from a Southern Boreal Bog in Alberta, Canada, 548+
Thuidiaceae, 72+
Thuidium delicatulum var. delicatulum, 519
TIBELL, LEIF. Photobiont Association and Molecular Phylogeny of the Lichen Genus Chaenotheca, 191+
TØNSBERG, TORR and TREVOR GOWARD. Sticta oroborealis sp. nov. and Other Pacific North American Lichens Forming Dendriscocauloid Cyanotypes, 12+
Tortula caninervis, 220; olivacea, *374*; ruralis, 217
Trana, T. D., 464+
Transplants (epiphytic bryophytes), 430+
Trapeliopsis bisorediata sp. nov., 221
Trebouxia, 191+; arboricola, 530+; assymetrica, 530+; corticola, 530+; galapagensis, 530+; gelatinosa, 530+; higginsiae, 530+; impressa, 530+; jamesii, 530+; usneae, 530+
Trentepohlia, 191+
Trichostomopsis australasiae, 221
TRIGOBOFF, NORMAN. *See* MILLER, NORTON G., 98+
Triterpenoids (Lobaria), 346
TÜRK, ROMAN, JOHANNA ÜBLAGGER and ROBERTO ZORER, eds. Third International Lichenological Symposium (IAL 3): Poster Contributions. Sauteria 3: 1-405 [review], 342

ÜBLAGGER, JOHANNA. *See* TÜRK, ROMAN, 342
Ulota megalospora, 275; obtusiuscula, 275
Umbilicaria (pigments), 593+; Umbilicaria cylindrica, 24+, 594+; hyperborea, 594+; krascheninnikovii, 594+; mammulata, 24+
Understory (epiphyte communities), 274+
Underwood, L. M., 268
Unidentified pigment SV-1 ((Ramalina), 347
University of Helsinki, 266
URMI, EDWIN. In Memoriam: Patricia E. Geissler (July 25, 1947 - March 28, 2000), 156+
Usnea andina, 238; brasiliensis, 235+*m; ceratina, 238; cirrosa, 235+*m; cornuta, 235+; cornuta s.lat., 235+*; cornuta s.str., 242+*m; dasaea, 235+m; esperantiana, 235+m; filipendula, 530+; filipendula group, 275; fragilescens aggregate, 235+; fragilescens var. mollis, 235+*m; glabrata, 235+*m; jamaicensis, 235+*m; lapponica, 255; occidentalis, 248; ramillosa s.str., 235+*m; steineri, 238; subelegans, 238; subfloridana group, 275; wirthii, 235+m
Usnic acid (Lecanora), 204+, 382+
Usnic acid (Ramalina), 347
Usnic acid (Usnea fragilescens group), 238+
Usnic acid (UV irradiance), 134+
UV irradiance (lichens), 134+

Vainio, E. A., 263+
VÁNA, JIRÍ. *See* SCHUMACKER, RENÉ, 498+
Verrucaria citrina, *4*; durietzii, 454; **kootenaica sp. nov.**, 453+*; lobata, 454; polytropa, *401*; radiata, 454
Vezdaea acicularis, 297+; leprosa, 297+; stipitata, 297+
Vicanicin (Erioderma glabrum), 260
Vine maple (epiphytes), 274+
Violaxanthin (Umbilicaria), 595+
VITIKAINEN, ORVO. Great Discoveries in Bryology and Lichenology. William Nylander (1822-1899) and Lichen Chemotaxonomy, 263+
Vulpinic acid (Chaenotheca), 193

WANG, LI-SONG, TAKAO NARUI, HIROSHI HARADA, CHICITA F. CULBERSON and WILLIAM LOUIS CULBERSON. Ethnic Uses of Lichens in Yunnan, China, 345+
Water relation systems (bryophytes), 410+
Watson, Eric Vernon, 471+*
Wetmore, C. M., 464+
WETMORE, CLIFFORD M. The Caloplaca citrina Group in North and Central America, 1+
WETMORE, CLIFFORD. Erratum: Color photographs of the Caloplaca citrina Group in North and Central America, 613+
WOLF, JAN H.D. *See* PERALTA, MARLENE GÓMEZ, 517+
WYATT, ROBERT. [Review of:] SHAW, JONATHAN and BERNARD GOFFINET. Bryophyte biology, 644+

X and Y chromosomes (Sphaerocarpos), 543+
Xanthones, unidentified (Lecanora), 392+
Xanthoria elegans, 24+; parietina, 530+
Xanthorin (Caloplaca), 4+

Yarra Ranges National Park (Dicranoloma), 440+
YIP, KWOK LEUNG. *See* CHEUNG, PUI YI, 497
Young stand (epiphytic bryophytes), 430+
Yunnan, China (lichen uses), 345+

ZAMBRANO GARCIA, ANGEL. *See* HERRERA-CAMPOS, MARÍA ANGELES, 235+
ZANDER, RICHARD H. and RYSZARD OCHYRA. Didymodon tectorum and D. brachyphyllus (Musci, Pottiaceae) in North America, 372+
Zeaxanthin (Umbilicaria), 595+
Zelometeorium patulum, 610
Zeorin (Lecanora), 209, 392+
ZHANG, YUANMING. *See* CAO, TONG, 522+
ZORER, ROBERTO. *See* TÜRK, ROMAN, 342

Front Cover for volume 105: *Sphagnum magellanicum* Brid. (red) and *Sphagnum papillosum* Lindb. Photo taken by Dale H. Vitt: Ontario. Kenora Area, 1987. **Back Cover for volume 105**: *Ramalina menziesii* Taylor. Photo taken by Stephen Sharnoff: Baja California. El Rosario, 1989. (Used with permission).